# **Application Note**

# Identify Call Quality Trends with Dynamic Offices

#### **Overview**

Typical modern workplaces include a mix of on-site and remote users. This hybrid approach presents a challenge for IT organizations. If participants in a Microsoft Teams meeting experience poor call quality, you need to distinguish whether the poor quality is caused by issues within your network, or by issues outside of your network. The Vantage DX solution provides many features to help you monitor and troubleshoot Teams call quality. One feature—dynamic offices—is particularly helpful in identifying call quality trends that occur at your business sites.

This application note describes how you can use the dynamic office feature of Vantage DX to understand and manage the conditions that impact call quality—and therefore productivity—at your business sites.

If you are new to Vantage DX, you may find it helpful to read *Understanding Vantage DX* for an overview of the solution and its modules. See the **Resources** section at the end of this document for more information.

### **Understanding Dynamic Offices**

The dynamic offices feature in Vantage DX Analytics allows you to monitor the call quality of Microsoft Teams meetings that include three or more devices with the same IP address. When three or more devices with the same IP address participate in a Teams call, VDX Analytics automatically creates a group for that IP address and provides call quality metrics for the call.

Dynamic offices are helpful because user devices that connect to a call from the same IP address are typically located in the same office. Call quality issues that occur at the business site may be caused by company-owned equipment, or by services provided by the company. When you monitor dynamic offices, you can identify trends, such as whether the same users, equipment, or services are consistently correlated with poor call quality. When you can understand the call quality trends at your business site, you can understand how your IT environment is impacting productivity and make adjustments based on that data.

It is important to understand that dynamic offices and their performance metrics are based on the number of devices with the same IP address, not the number of users with the same IP address. For example, if four users connected to a Teams call, but one user connected to the call from both a laptop and a mobile device, the dynamic office and its performance information would be based on five devices, as shown in the image below:



For each dynamic office, VDX Analytics retrieves device-level metrics from the Microsoft CQD integration. The metrics are averaged over all the call streams for the device during the data collection window. Video frame rates are averaged separately for video sessions and for screen sharing sessions, and the highest average frame rate is displayed.

The following table lists the metrics that VDX Analytics displays for each device.

#### **Table 1: Call Quality Metrics**

Metric	Description
Last call time	The time of the last call on this device.
Client forward jitter	The jitter from the client to the destination.
Client forward RTT	The round-trip time from the client to the destination.
Client forward video frame rate	The video frame rate from the client to the destination.
Client reverse jitter	The jitter from the destination to the client.
Client reverse RTT	The round-trip time from the destination to the client

Metric	Description
Client reverse video frame rate	The video frame rate from the destination to the client.
Average MOS	A prediction of end-user audio quality experience. It is based on latency, the packet loss, jitter, and the codec used.
Call times	A list of calls, with their start and end times.
Number of poor calls	The number of calls with poor voice quality that occurred during the data collection period.
Poor call times	The start and end times of calls with poor voice quality.
Dropped streams call times	The start and end times when call streams were dropped. Calls do not necessarily fail when call streams are dropped. For example, the video stream may drop but the audio stream may continue.
Failed calls times	The start and end times when calls failed.

VDX Analytics uses a color-coded system to indicate the health state of the dynamic office. The health state is based on the percentage of bad calls that occurred during the data collection window. The percentage of poor calls, and the duration of the data collection window, are configurable. By default, the health status is warning (yellow) when 20% of the calls in the dynamic office are experiencing poor call quality. The health status is critical (red) when 30% of the calls in the dynamic office are experiencing poor call quality.

#### Implementation

This section provides an overview of how you can configure a business service in VDX Analytics to monitor dynamic offices. Detailed procedures are available in the technical documentation; see the **Resources** section for information.

Dynamic offices are available when you configure an integration between Vantage DX Analytics and the Microsoft Call Quality Dashboard (CQD). The Microsoft CQD is a tool that is available in the Teams Admin Center. It monitors all voice and video calls made in Teams and provides call quality metrics within 30 minutes of the end of a call. This example assumes that the integration is configured with default settings.

The first step is to create a business service for each office location:

siness Services allow you to categorize	e components to make it easier to visualize and locate issues in your network.	
, , ,		
Choose a name for your service*		
Dynamic Offices Ottawa		
Add a description to your service		
Description		
Change a convice health rollup		
choose a service nearth rollup		
End User Application	Infrastructure	

When you select the perspective for the health rollup, VDX Analytics reports the health status of the business service based on the objects in this perspective. The SLA data is also based on the health of the objects in this perspective. You have the option to select multiple perspectives for the health rollup. If you choose multiple perspectives for the health rollup, the overall health state is based on the worst-case of any of the selected perspectives, and the SLA calculations will also include data from those perspectives.

In this example, we have created two business services: one for dynamic offices in Ottawa and one for dynamic offices in Geneva, as shown in the following image:

Oynamic Offices Ottawa	$\oslash$	$\bigotimes$	$\bigotimes$	$\bigotimes$	23	1	94.317%	÷
🕢 Dynamic Offices Geneva	$\odot$		$\bigotimes$	$\bigotimes$	1	1	100.000%	÷

The next step is to pin the dynamic office groups to the End-User perspective in each business service. VDX Analytics has powerful search capabilities that allow you to refine the type of data that you pin to the business service. For example, you can search for all dynamic offices at a specific location, or you can search based on the number of meeting participants at a specific location. By default, a dynamic office is created based on three or more devices, but depending on the size of your organization, you may want to create a business service that focuses on calls that involve a larger number of people. Below are examples of searches you can use to refine the type of data that you want to include:

To find all dynamic offices by a specified location:

- source.Office365CQD.groupType:OfficeGroup AND source.Office365CQD.Name:Ottawa
- source.Office365CQD.groupType:OfficeGroup AND source.Office365CQD.Name:Geneva

#### To find all dynamic offices that include a specified minimum number of devices:

 source.Office365CQD.groupType:OfficeGroup AND source.Office365CQD.NumberOfDevices:>=10

To find dynamic offices with a minimum number of devices at a specific location:

 source.Office365CQD.groupType:OfficeGroup AND source.Office365CQD.Name:Geneva AND source.Office365CQD.NumberOfDevices:>=10

Enter the search string on the **Home** page and click the **Groups and Services** tab to view the search results. Select the dynamic office group and pin it to the business service. In the following image, the dynamic office group for Ottawa has been pinned to the End User perspective of the business service.

■ Ø Vantage DX Analytics					Ð
👆   🛑 Dynamic Offices Ottawa					
SLA MEMBERS (4)	ALERTS (23	) INCIDENTS (1)			
End User 43 components	•	Application 0 components	•	Infrastructure <sup>0 components</sup>	•
		Empty Perspective		Empty Perspective	
Supplier Services	•				
Empty Perspective					

Open the End User perspective and click the **Rules** tab and select the **Include Members** option, as shown in the image below. When you select this option, VDX Analytics includes the members of the dynamic office group in the SLA data. In this case, the members of the dynamic office group are the devices and the users associated with them. It is helpful to include this information in the SLA data because it allows you to see which devices and users were impacted by critical call quality over the course of a month.

				Dynamic O	ffices Ottawa
ALERTS (23)	INCIDENTS (1)	RULES (1)	EXCLUSIONS (0)		
	Query	Targ	et	Include Members	
	source.Office365CQD.group	Type:OfficeGroup AND : Gi	roupsAndServices		1

Now that the business service is set up, you can see the status of all users:

😑 🍥 Vantage DX Ar	nalytics					0
👆 🕴 🛑 End User						Dynamic Offices Ottawa
MEMBERS (43)	ALERTS (23)	INCIDENTS (1)	RULES (1)	EXCLUSIONS (0)		
		:		:		:
Albert Hunt	Windows Ottawa CA W	/ire	Alexia Stewart W	indows Ottawa CA Wi	Ŷ	Alina Richards Windows Ottawa CA Wi
		1		:		:
Alisa Barret	tt Windows Ottawa CA V	Wifi	Amber Riley Wind	lows Ottawa CA Wifi	¢	Andrew Wells Android Ottawa CA Wire

You can open a user to view detailed properties. The following images show the properties that are available for each user:

Raw Properties         Name       Albert Hunt Windows Ottawa CA Wired Bell Canada         Id       Albert. Hunt@martellotech.com-Windows-204-BellCanada-Ottawa-Canada         Client OS       Windows 10.0.19043.1586 Arch: x86         Client OP U       Intel(R) Core(TM) 7:8650U CPU @ 1.90GHz Number of Cores 4         User Agent       CallSignalingAgent (27/1.5.00.8070/)release_releases/CL2022.R09.2022.09.01.1;releases/CL2022.R09.         Email       Albert. Hunt@martellotech.com         User Diplay Name       Albert. Hunt@martellotech.com         User Diplay Name       Albert. Hunt         Iy Address List       . 204.101.47.119         Connection Type       Wired         City       Ottawa         Country       Canada         Is P       Bell Canada         Time Zone       Eastern Standard Time         Audio Devices       . Conexant ISST Audio         . Sernheiser SC260 Control       . Sernheiser SC260 Control         Audio Codecs       . AJEN         Video Codecs       . HP Full-HD Camera         Video Codecs       . H264         PSTN Carriers       . 2022-0420T16:03:29	PROPERTIES	EXPLORER	ALERTS (1)	INCIDENTS (1)	BOARDS (10)	SERVICES (3)
NameAlbert Hunt Windows Ottawa CA Wired Bell CanadaIdAlbert. Hunt@martellotech.com-Windows-204-BellCanada-Ottawa-CanadaClient OSWindows 10.0.19043.1586 Arch: x86Client OP UIntel(R) Core(TM) 17-8650U CPU@ 1.90GHz Number of Cores 4User AgentCallSignalingAgent (27/1.5.00.8070//;release_releases/CL2022.R09.2022.09.01.1;releases/CL2022.R09)EmailAlbert.Hunt@martellotech.comUser Display NameAlbert HuntIp Address List• 204.101.47.119Connection TypeWiredChurtyCanadaIsp PBell CanadaTime ZoneEastern Standard TimeAudio Devices• Conexant ISST Audio • Sennheiser SC260 ControlAudio Codecs• HP Full-HD CameraVideo Codecs• H264PSTN Carriers202-04-20T16:03:29	Raw Properties					
IdAlbert.Hunt@martellotech.com-Windows-204-BellCanada-Ottawa-CanadaClient OSWindows 10.0.19043.1586 Arch: x86Client CP UIntel(R) Core(TM) i7-8650U CPU @ 1.90GHz Number of Cores 4User AgentCallSignalingAgent (27/1.5.00.8070//;release_releases/CL2022.R09.2022.09.01.1;releases/CL2022.R09)EmailAlbert.Hunt@martellotech.comUser Display NameAlbert HuntIp Address List. 204.101.47.119Connection TypeWiredConnection TypeOttawaCountyCanadaIS PBell CanadaIS PBell CanadaAudio Devices. Conexant ISST Audio . Sennheiser SC260 ControlAudio Codecs. SATINVideo Codecs. HP Full-HD CameraVideo Codecs. H264PSTN Carriers. 2022-04-20116:03:29	Name		Albert Hunt Windows Ot	ttawa CA Wired Bell Can	ada	
Client OSWindows 10.0.19043.1586 Arch: x86Client CP UIntel(R) Core(TM) i7-8650U CPU@ 1.90GHz Number of Cores 4User AgentCallSignalingAgent (27/1.5.00.8070//;release_releases/CL2022.R09.2022.09.01.1;releases/CL2022.R09EmailAlbert.Hunt@martellotech.comUser Display NameAlbert HuntIp Address List• 204.101.47.119Connection TypeWiredChurtyCanadaTime ZoneBell CanadaTime Zone• Conexant ISST Audio • Sennheiser SC260 ControlAudio Codecs• SATINVideo Codecs• H264PSTN Carriers• H264Last Call Time• 2022-04-20T16:03:29	Id		Albert.Hunt@martellote	ch.com-Windows-204-B	ellCanada-Ottawa-Can	ada
Client CP U       Intel(R) Core(TM) i7-8650U CPU @ 1.90GHz Number of Cores 4         User Agent       CallSignalingAgent (27/1.5.00.8070//;release_releases/CL2022.R09.2022.09.01.1;releases/CL2022.R09.         Email       Albert.Hunt@martellotech.com         User Display Name       Albert Hunt         Ip Address List       • 204.101.47.119         Connection Type       Wired         Country       Canada         Time Zone       Bell Canada         Time Zone       extern Standard Time         Audio Devices       • SATIN         Video Devices       • HP Full-HD Camera         Video Codecs       • H264         PSTN Carriers       202-04-20T16:03:29	Client OS		Windows 10.0.19043.15	586 Arch: x86		
User AgentCallSignalingAgent (27/1.5.00.8070//;release_releases/CL2022.R09.2022.09.01.1;releases/CL2022.R09.)EmailAlbert.Hunt@martellotech.comUser Display NameAlbert HuntIp Address List• 204.101.47.119Connection TypeWiredCityOttawaCountryCanadaIS PBell CanadaTime Zone• Conexant ISST Audio • Sennheiser SC260 ControlAudio Obevices• SATINVideo Devices• HP Full-HD CameraVideo Codecs• H264PSTN Carriers202-04-20T16:03:29	Client CP U		Intel(R) Core(TM) i7-865	50U CPU @ 1.90GHz Nur	mber of Cores 4	
Email       Albert.Hunt@martellotech.com         User Display Name       Albert Hunt         Up Address List       • 204.101.47.119         Connection Type       Wired         Connection Type       Wired         Connection Type       Ottawa         Connet       Canada         Is P       Bell Canada         Time Zone       Eastern Standard Time         Audio Devices       • Conexant ISST Audio • Sennheiser SC260 Control         Audio Codees       • SATIN         Video Devices       • HP Full-HD Camera         PSTN Carriers       2022-04-20T16:03:29	User Agent		CallSignalingAgent (27/	1.5.00.8070//;release_re	eleases/CL2022.R09.2	022.09.01.1;releases/CL2022.R09)
User Display Name         Albert Hunt           Ip Address List         • 204.101.47.119           Connection Type         Wired           City         Ottawa           Country         Canada           IS P         Bell Canada           Time Zone         • Conexant ISST Audio • Sennheiser SC260 Control           Audio Codecs         • SATIN           Video Devices         • H264           PSTN Carriers         2022-04-20T16:03:29	Email		Albert.Hunt@martellote	ch.com		
Ip Address List       • 204.101.47.119         Connection Type       Wired         City       Ottawa         Country       Canada         Is P       Bell Canada         Time Zone       Eastern Standard Time         Audio Devices       • Conexant ISST Audio • Sennheiser SC260 Control         Audio Codecs       • SATIN         Video Devices       • H2F4         PSTN Carriers       2022-04-20T16:03:29	User Display Name		Albert Hunt			
Connection Type     Wired       City     Ottawa       Country     Canada       IS P     Bell Canada       Time Zone     Eastern Standard Time       Audio Devices     • Conexant ISST Audio • Sennheiser SC260 Control       Video Devices     • SATIN       Video Codecs     • HP Full-HD Camera       PSTN Carriers     2022-04-20T16:03:29	Ip Address List		• 204.101.47.119			
City     Ottawa       Country     Canada       IS P     Bell Canada       Time Zone     Eastern Standard Time       Audio Devices     • Conexant ISST Audio • Sennheiser SC260 Control       Audio Codecs     • SATIN       Video Devices     • HP Full-HD Camera       Yideo Codecs     • H264       PSTN Carriers     2022-04-20T16:03:29	Connection Type		Wired			
Country     Canada       IS P     Bell Canada       Time Zone     Eastern Standard Time       Audio Devices     • Conexant ISST Audio • Sennheiser SC260 Control       Audio Codecs     • SATIN       Video Devices     • HP Full-HD Camera       Video Codecs     • H264       PSTN Carriers     2022-04-20T16:03:29	City		Ottawa			
IS P     Bell Canada       Time Zone     Eastern Standard Time       Audio Devices     • Conexant ISST Audio • Sennheiser SC260 Control       Audio Codecs     • SATIN       Video Devices     • HP Full-HD Camera       Video Codecs     • H264       PSTN Carriers     2022-04-20T16:03:29	Country		Canada			
Time Zone     Eastern Standard Time       Audio Devices <ul> <li>Conexant ISST Audio</li> <li>Sennheiser SC260 Control</li> </ul> <li>Audio Codecs</li> <li>SATIN</li> <li>Video Devices</li> <li>HP Full-HD Camera</li> <li>Yideo Codecs</li> <li>H264</li> <li>PSTN Carriers</li> <li>2022-04-20T16:03:29</li>	IS P		Bell Canada			
Audio Devices     • Conexant ISST Audio       Sennheiser SC260 Control       Audio Codecs     • SATIN       Video Devices     • HP Full-HD Camera       Video Codecs     • H264       PSTN Carriers     2022-04-20T16:03:29	Time Zone		Eastern Standard Time			
• Sennheiser SC260 Control       Audio Codecs     • SATIN       Video Devices     • HP Full-HD Camera       Video Codecs     • H264       PSTN Carriers     2022-04-20T16:03:29	Audio Devices		Conexant ISST Audio	)		
Audio Codecs     • SATIN       Video Devices     • HP Full-HD Camera       Video Codecs     • H264       PSTN Carriers     2022-04-20T16:03:29			Sennheiser SC260 Co	ontrol		
Video Devices     • HP Full-HD Camera       Video Codecs     • H264       PSTN Carriers     2022-04-20T16:03:29	Audio Codecs		• SATIN			
Video Codecs         • H264           PSTN Carriers         2022-04-20T16:03:29	Video Devices		• HP Full-HD Camera			
PSTN Carriers         2022-04-20T16:03:29	Video Codecs		• H264			
Last Call Time 2022-04-20T16:03:29	PSTN Carriers					
	Last Call Time		2022-04-20T16:03:29			

Active Use		
Addite obe	• Call Date	20220420
	Number Of Calls	4
	Number Of Failed Calls	1
	。Call Date	20220330
	Number Of Calls	3
Number Of Calls	7	
Number OfP 2 P Calls	5	
Number Of Conference Calls	2	
Number Of Video Calls	6	
Number Of Cloud Calls	7	
Number OfUD P Calls	7	
Number Of Failed Cloud Calls	1	
Number Of FailedP 2 P Calls	1	
Number Of FailedUD P Calls	1	
Forward Jitter	2.14	
Forward RT T	60.14	
Forward Video Frame Rate	21.45	
Reverse Jitter	4.86	
Reverse RT T	60.57	
Reverse Video Frame Rate	23.84	
Call Times	<ul> <li>Start Time</li> </ul>	2022-04-20T16:03:29
	End Time	2022-04-20T16:27:19

Click the **Alerts** tab to see any alerts related to the business service:

📃 🔘 Vantage DX .	Analytics							O
👆 🕴 🔵 End User							Dynamic	c Offices Ottawa
MEMBERS (43)	ALERTS (23)	INCIDENTS	(1)	RULES (1)	EXCLUSIONS (0)			
FILTERS		÷	Severity 🖨	Target/Message \$	s State \$	Created On \$	Last Updated 🗸	Integration Type
Integration Types Integration Types		-	•	Daryl Ferguson Poor Call on 4/21/	W Open	Apr 21, 2022 6:06 AM	Apr 21, 2022 6:13 AM	Microsoft Teams Call (
Integrations Integrations		-	•	Albert Hunt Win Failed Call on 4/20	d )/ Open	Apr 20, 2022 12:01 PM	Apr 20, 2022 12:01 PM	Microsoft Teams Call (
Severity Severity		-	•	Kimberly Perkins Failed Call on 4/20	s <sub>//</sub> Open	Apr 20, 2022 5:38 AM	Apr 20, 2022 5:38 AM	Microsoft Teams Call (
Active			•	Lilianna Henders Poor Call on 4/19/	s 2 Open	Apr 19, 2022 7:23 AM	Apr 19, 2022 7:23 AM	Microsoft Teams Call (
Show Only Active			•	Stuart Ferguson Poor Call on 4/14/	Open	Apr 14, 2022 10:46 AM	Apr 14, 2022 10:52 Alv	Microsoft Teams Call (
Time Time Filters		•	•	Daryl Casey Win Poor Call on 4/14/	d Open	Apr 14, 2022 6:31 AM	Apr 14, 2022 6:44 AM	Microsoft Teams Call (
			•	Lilianna Edward Poor Call on 4/13/	s <sup>1</sup> 2 Open	Apr 13, 2022 6:50 AM	Apr 13, 2022 7:31 AM	Microsoft Teams Call (
			•	Daryl Ferguson V Poor Call on 4/13/	W Open	Apr 13, 2022 7:06 AM	Apr 13, 2022 7:25 AM	Microsoft Teams Call (
			•	Daryl Casey Win Poor Call on 4/13/	d Open	Apr 13, 2022 5:30 AM	Apr 13, 2022 5:48 AM	Microsoft Teams Call (
			•	Daryl Casey Win Poor Call on 4/13/	d Open	Apr 13, 2022 4:01 AM	Apr 13, 2022 4:59 AM	Microsoft Teams Call (

You can open the alert for an affected user:

<ul> <li>Poor Call on 4/7/2022 10:02 AM Video</li> </ul>	ргатекаtедуд	
ACTIVE ALERT	LAST UPDATED ON	CREATED ON
💎 Active	2022-04-07 at 7:27 AM	2022-04-07 at 6:02 AM
ALERT STATE	ALERT OPENED	RETRIEVED FROM INTEGRATION
₽ Open	⊘ 14 days ago	Microsoft Teams
		Office365CQD
Details		
Raw Properties		

You can use the **Details** toggle to view a message that describes the reason for the health status:

Daryl Casey MacOS Poor Call on 4/7/2022 10:0	Ottawa CA Wifi 2 AM VideoFrameRateAvg		×
ACTIVE ALERT	LAST UPDATED ON	CREATED ON	
💎 Active	2022-04-07 at 7:27 AM	2022-04-07 at 6:02 AM	
ALERT STATE	ALERT OPENED	RETRIEVED FROM	
₽ Open	② 14 days ago	INTEGRATION	
		Microsoft Teams	
Details		Office365CQD	
Message	Poor Call on 4/7/2022 10:02 AM VideoFrameRateAvg		

You can also use the **Raw Properties** toggle to display more properties of the alert:

Poor Reason	VideoFrameRateAvg
Forward Jitter	2
Forward RT T	83
Forward Video Frame Rate	1.02
Reverse Jitter	3
Reverse RT T	31
Reverse Video Frame Rate	28.62
Reverse Video Local Frame Lo	<b>0.8</b>
ForwardP 50 Latency	26
ReverseP 50 Latency	30
Call Setup Failure Reason	NotMediaFailure
Media Failure Type	NotMediaFailure
Poor Call Explanation	Average frames per second received for a video stream, computed over the duration of the se
	< >>
COD Component Type	Call Alert

If you have integrated an ITSM system with VDX Analytics, you can click the **Incidents** tab to see incidents related to the business service:

= 🍥 Vantage D	X Analytics							Ð
🕤 🕴 🛑 End Use	r						Dynami	c Offices Ottawa
MEMBERS (43)	ALERTS (23)	INCIDE	ENTS (1)	RULES (1)	EXCLUSIONS (0)			
FILTERS		÷	Name 🖨	State 🖨	Integration Type	Created On \$	Last Updated 🗸	Assigned To 🖨
Integration Types Integration Types		Ŧ	INC0010222	Active	ServiceNow	Apr 5, 2022 8:38 AM	Apr 5, 2022 8:38 AM	Beth Anglin (Service De
Integrations Integrations		-						
Active								
Show Only Active								

You can use the SLA tab to view performance information. In the case of dynamic offices, SLA data does not report outages; instead, it helps you understand the voice quality that your users experience over time. The performance information reported on this tab shows the call quality that the dynamic offices experienced over the duration of the data collection window, which you specify in the integration settings. This information is helpful for identifying trends. For example, you can use the **Components Impacting SLA** section to identify users who were associated with meetings where the call quality was poor. If a specific user is consistently associated with poor quality calls, your IT department can focus troubleshooting efforts on the factors that are specific to that user, such as equipment or connection type.

	Dynamic Offices	Ottawa		
SLA	MEN	IBERS (4) ALERTS (23	INCIDENTS (1)	
SUMM	MARY	2 « 🗉	» Lill TIMELINE	
ne Zone:	e: Romance S	andard Time		<b>0-0-0-0</b>
94 Goal	4.317% SLA al: 99.000%	Uptime Target: 712.8	rs 00 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 2	26 27 28 29 30
(94) Goal Compone	4.317% SLA al: 99.000% eents Impacting S	Control of the second s	rs SLA Impact Start Time SLA Impact End Time Integration	26 27 28 29 30
(94) Goal Compone Impact 40 hr 55 r	4.317% SLA al: 99.000% ents Impacting S ¢	baryl Casey Windows Otta	Perspective         SLA Impact Start Time         SLA Impact End Time         Integration           End User         Apr 13,2022 11:10 AM         Apr 15,2022 4:05 AM         Office365	26 27 28 29 30 on Type 5CQD
Goal Compone Impact 40 hr 55 f	4.317% SLA al: 99.000% tents Impacting S t Smin KCLUDE INCLU	LA (1) Daryl Casey Windows Otta	Perspective         SLA Impact Start Time         SLA Impact End Time         Integration           End User         Apr 13, 2022 11:10 AM         Apr 15, 2022 4:05 AM         Office365	26 27 28 29 30 on Type 5CQD
94 Goal Compone 40 hr 55 f	A.317% SLA al: 99,000% ents Impacting S d simin kcLUDE Start Tir Start Tir	CP39.1hrs uptime Target: 712.8 Uptime Target: 712.8 LA (1) Daryl Casey Windows Otta Daryl Casey Windows Otta me ↓	rs Perspective End User End Time SLA Impact Start Time SLA Impact Start Time SLA Impact End Time SLA Impact End Time SLA Impact End Time Excluded from SLA Excluded from SLA SLA Impact End Time SLA	26 27 28 29 30 on Type 5CQD

The SLA data is calculated based on Service Level Objectives (SLO) that you can configure. For the purposes of this example, we have used the default SLO settings, which sets a goal of 99% availability, calculated monthly, for 24 hours a day, 7 days a week.

#### **Extend the capabilities**

Dynamic offices provide valuable information with minimal configuration. If the dynamic offices indicate a trend, such as recurring problems at a particular business site, you have the option to extend the scope of your monitoring by installing the following Vantage DX components at the problem sites:

- A Vantage DX Diagnostics probe to perform network path monitoring.
- A Vantage DX Monitoring robot to perform proactive testing.

If you have additional monitoring tools that monitor your network switches and firewalls, you can integrate those tools with VDX Analytics to have a consolidated view of the data.

#### Network path monitoring

The Vantage DX Diagnostics probe tests the network paths between your physical office sites and the endpoints that you want to monitor. If the dynamic office data indicates recurring problems at a specific office location, you can install a probe at that location to test the path to the Microsoft Teams endpoint. After you have deployed the probe, Vantage DX Diagnostics provides a visual representation of the quality of the connection at each hop in a network path.

#### Proactive testing

After you have used the real-user data and the network path data to identify and troubleshoot problems, you can use Vantage DX Monitoring robots to proactively monitor the network conditions that affect call quality.

Vantage DX Monitoring collects a range of metrics for the Teams workload, but the following metrics are key predictors of call quality:

- Jitter—The recommended average is < 30 ms during any 15-second interval.
- **Packet loss**—Microsoft recommends a packet loss rate of 1% during a 15-second interval. A packet loss rate between 3% and 7% causes a noticeable impact to call quality. A rate of more than 7% severely impacts the call quality.
- Round Trip Latency—The recommended target is < 100 ms.
- Average bandwidth—The recommended targets are:
  - Voice calls: > 100 KBPS
  - Video calls: > 300 KBPS
- Packet reorder ratio—The recommended target is < 0.05%.
- Network MOS—The recommended target is > 4.

Vantage DX Monitoring robots continually test these metrics from your business sites. When test results indicate that a performance threshold has been breached, the health status of the workload changes to either Warning or Critical, depending on the test. This continual monitoring means that you can be notified of performance degradation immediately, and address it before it impacts your end users. You can also use this information to proactively notify your users about known issues.

#### Additional monitoring tools

Vantage DX Analytics integrates with a wide range of monitoring tools, and consolidates all your data in one interface. For example, if you use other tools to monitor switches, routers, firewalls, or bandwidth availability, Vantage DX Analytics can retrieve data from those tools and you can add it the business service. This comprehensive view allows you to quickly understand how your own infrastructure is affecting Teams meetings and prioritize changes.

In addition, you can integrate your ITSM system with VDX Analytics to streamline the process of creating and resolving incidents.

For information about the integrations that Vantage DX Analytics supports, see the **Resources** section at the end of this guide.

#### Resources

For more information, see the following documents:

• For an overview of the Vantage DX solution and its capabilities, see the Understanding Vantage DX Application Note.

- For information about how to configure business services, see the Vantage DX Analytics User Guide.
- For detailed information about the Microsoft data that is available in the VDX Analytics interface— including dashboards, components, and alerts—see *Microsoft Performance Data in Vantage DX*.
- For information about the monitoring tools and ITSM systems that you can integrate, see the Vantage DX Analytics Integration Guide.
- See the following Application Notes for information and examples about key features in Vantage DX:
  - Manage Data Using Boards
  - Manage Data Using Business Services
  - Monitoring SLA and Availability
  - Monitor and Troubleshoot Teams Call Quality
  - Monitor Co-Authoring Platforms
  - Customize Monitored Sites in Vantage DX Monitoring

All documentation is available on the Martello website at:

https://martellotech.com/documentation/vantage-dx/

#### About Martello Technologies

Martello Technologies Group Inc. (TSXV: MTLO) is a technology company that provides digital experience monitoring (DEM) solutions. The company develops products and solutions that provide monitoring and analytics on the performance of real-time applications on networks, while giving IT teams and service providers control and visibility of their entire IT infrastructure. Martello's products include unified communications performance analytics software and IT analytics software.

Martello Technologies Group is a public company headquartered in Ottawa, Canada with offices in Nice, Amsterdam, Paris, Dallas and New York. For more information, please contact us:

North America: +1-613-271-5989

Europe: +31-20-2170-790

Internet: www.martellotech.com

Email: info@martellotech.com

# MARTELLO